Bancal

Bench

Julià Espinás, Olga Tarrasó



Product description

Certificates





Finishes

Structure







Light grey

Black

FSC 100% Tropical

Slats

The finishes shown are purely indicative. With Standard protection: corrosion resistant for environments with climate conditions which are typical of urban spaces. For coastal areas with severe climate conditions, check out our Premium protection finish. Other colours are available upon request.

Materials

- Structure made from 6 mm S235 JR hotdip galvanized steel plate with a powdercoated finish.
- Seat and back made from slats of tropical wood, certified FSC 100%, 50/65 x 160 mm, with a single coat of oil protection.
- AISI3O4 stainless steel optional armrest.
- Zinc-plated steel bolts.
- A2 stainless steel hardware.

Installation and maintenance

- Installed with two bolts per element, inserted in holes made in the pavement beforehand, and filled in with epoxy resin, quick-setting cement or similar.
- The element is supplied packaged.
- Installation and assembly instructions, hardware and bolts included.
- Does not require any maintenance, except to preserve the original colour of the wood.

Regulations

- FSC-STD-40-004 (licence no.: C009370)
- ISO 12944 UNE 41510
- UNE-EN 335
- UNE-EN 581
- UNE-EN 12727
- UNE-EN ISO 1461

Weight kg [lb]

Bench

- One section without backrest: 80 [176]
- One section with backrest: 110 [243]
- Two sections with backrest: 184 [405.6]
- Three sections with two mirrored backs: 284 [626]
- Three sections with three backs: 299 [659]

on a low wall


- One section without backrest: 68 [149.9]
- One section with backrest: 99 [218.1]
- Two sections with backrest: 115 [253.8]

Accessory

- Armrest: 4 [8.8]

Approximate weight without packaging.

Dimensions cm [in]



Bench - three sections with two mirrored backs

BCB+304

Dimensions cm [in]

